

MULBERRY STOVES





MULBERRY STOVES



MULBERRY STOVES

At Mulberry Stoves we have assembled a team of dedicated and experienced people who are determined to provide products that represent exceptional quality and value. In every respect our products are designed and manufactured to deliver on this promise, and the team at Mulberry will consistently go the extra mile to ensure complete customer satisfaction.

The Mulberry quality system is certified to ISO 9001, and we are also certified to ISO 14001 Environmental Standards. Mulberry Stoves are CE approved and meet DIN EN 13240 standards.

All Mulberry Stoves carry a 5 year warranty on the external body and boilers. We also offer a no quibble 18 month warranty on all removable parts INCLUDING GLASS & GRATE.

You can relax in the knowledge that our customer support group is charged with implementing our commitment to owning a Mulberry Stove a pleasurable and satisfying experience.

Quality & Value



SHAW


5KW Insert Stove



- Available in Non Boiler only
- Power Output Non-Boiler 5KW
- Steel body with cast Iron door
- Top flue outlet, 125 diameter
- Riddling grate, Ashpan & Lifter
- Primary & Secondary Air intake

Fuel Options Multi Fuel

Colour Options Matt Black, Cream, Claret, Black Enamel, Majolica



ECODESIGN

At Mulberry we are committed to improving our appliance design so that our stoves are cleaner, more efficient and contribute to improving our environment through lower emissions. A highly efficient solid fuel appliance means that wood and other forms of solid fuels such as charcoal, peat, coal and many more are burned efficiently and economically.

Our stoves are independently tested in accordance with the following standards, EN13240:2001 + EN13240-A2:2004

Our Eco design stove meets the five fundamental requirements of the Regulation (EU) 2015/1185 24/5/2015 for efficiency and emissions.

Essential Characteristics

Test Fuel	Beech
Fire safety	Pass
Emission of combustion products (related	Co: 0.08 Vol% No _x : 115 mg/m _o ³ CxHy: 54 mgC/m _o ³ Dust: 23 mg/m _o ³
Surface temperature	Pass
Measured thermal output	4.9kw
Energy efficiency	78.9%
Release of dangerous substances	Pass



SHAW


8KW Solid Fuel Stove



- Available in Non Boiler only
- Power Output Non-Boiler 8KW
- Steel body with cast Iron door
- Top and rear flue outlet
- Riddling grate, Ashpan & Lifter
- Primary & Secondary Air intake including Outside Air ready

Fuel Options Multi Fuel

Colour Options Matt Black only




ECODESIGN



At Mulberry we are committed to improving our appliance design so that our stoves are cleaner, more efficient and contribute to improving our environment through lower emissions. A highly efficient solid fuel appliance means that wood and other forms of solid fuels such as charcoal, peat, coal and many more are burned efficiently and economically.

Our stoves are independently tested in accordance with the following standards, EN13240:2001 + EN13240-A2:2004

Our Eco design stove meets the five fundamental requirements of the Regulation (EU) 2015/1185 24/5/2015 for efficiency and emissions.



Essential Characteristics

Test Fuel	Beech
Fire safety	Pass
Emission of combustion products (related)	Co: 0.09 Vol% No _x : 99 mg/m ³ CxHy: 97 mgC/m ³ Dust: 19 mg/m ³
Surface temperature	Pass
Measured thermal output	8.0kw
Energy efficiency	75.4%
Release of dangerous substances	Pass

SHAW

10KW

Solid Fuel Stove



Available in Non Boiler only

Power Output Non-Boiler 10KW

Steel body with cast Iron door

Top and rear flue outlet

Riddling grate, Ashpan & Lifter,
Cool Touch Wooden Handle

Primary & Secondary Air intake including
Air-wash System



Matt Black

Fuel Options Multi Fuel

Colour Options Matt Black only

SHAW

5KW

Solid Fuel Stove



Available in Non Boiler only

Power Output Non-Boiler 5KW

Steel body with cast Iron door

Top and rear flue outlet

Riddling grate, Ashpan & Lifter,
Cool Touch Wooden Handle







Primary & Secondary Air intake including
Air-wash System



Matt Black

Fuel Options Multi Fuel

Colour Options Matt Black only



SHAW

4.5KW

Solid Fuel Stove



Available in Non Boiler only

Power Output Non-Boiler 4.5KW

Steel body with cast Iron door

Top and rear flue outlet, 125 diameter

Riddling grate, Ashpan & Lifter

Primary & Secondary Air intake



Matt Black

Fuel Options Multi Fuel

Colour Options Matt Black only

SHAW

4KW

Solid Fuel Stove



Available in Non Boiler only

Power Output Non-Boiler 4KW

Steel body with cast Iron door

Top and rear flue outlet 125 diameter

Riddling grate, Ashpan & Lifter







Primary & Secondary Air intake



Matt Black

Fuel Options Multi Fuel

Colour Options Matt Black only





Matt Black

BECKETT

Solid Fuel Stove



Available in Boiler & Non Boiler

Power Output Boiler 21KW (14.7KW to Water, 6.3KW to Room)

Power Output Non-Boiler 19.6KW

Boiler Version heats 12 standard radiators and domestic hot water

Top and rear flue outlet

Optional Extra: Outside air option available

Riddling grate, ash-pan & lifter, cool touch wooden handle

Primary & Secondary Air intake including Air-wash System

Thermostat Controlled

Fuel Options

Multi Fuel

Colour Options

Matt, Majolica Brown, Black, Cream, Claret

Majolica Brown



Fuel Options
Multi Fuel

Cream






Black



Fuel Options
Multi Fuel

Claret





JOYCE

Solid Fuel Stove

Matt Black

- Available in Boiler & Non Boiler
- Power Output Boiler 7.2KW (1.5KW to Water, 5.7KW to Room)
- Power Output Non-Boiler 6.8KW
- Boiler Version heats 2 standard radiators and domestic hot water
- Top and rear flue outlet
- Optional Extra: Outside air option available
- Riddling grate, Ashpan & Lifter, Cool Touch Wooden Handle
- Primary & Secondary Air intake including Air-wash System
- 2 inch leg available (Standard leg 4")

- Fuel Options**
- Multi Fuel
- Colour Options**
- Matt, Majolica Brown, Black, Cream, Claret





YEATS

Solid Fuel Stove

Matt Black

- Available in Boiler & Non Boiler
- Power Output Boiler 12.9KW (7.8KW to Water, 5.1KW to Room)
- Power Output Non-Boiler 10.6KW
- Boiler Version heats 6 standard radiators and domestic hot water
- Top and rear flue outlet
- Optional Extra: Outside air option available
- Riddling grate, Ashpan & Lifter, Cool Touch Wooden Handle
- Primary & Secondary Air intake including Air-wash System

- Fuel Options**
- Multi Fuel
- Colour Options**
- Matt, Majolica Brown, Black, Cream, Claret



STOKER

Insert Boiler Stove

- Power Output Boiler 15KW (11.5KW to Water, 3.5KW to Room)
- Boiler Version heats 10 standard radiators and domestic hot water
- Efficiency 76%
- Thermostat controlled
- Top flue outlet
- Primary & Secondary Air intake including Air-wash System
- Radiant & Convection Heat
- Curved & square adapters available for cast Iron Fireplaces
- Heat deflector plate optional extra

- Fuel Options Multi Fuel
- Colour Options Matt, Majolica Brown, Black, Cream, Claret



Claret



STOKER







Insert Non Boiler 10KW Stove

- Power Output Non-Boiler 10KW
- Efficiency 76%
- Top flue outlet
- Primary & Secondary Air intake including Air-wash System
- Radiant & Convection Heat
- Curved & square adapters available for cast Iron Fireplaces
- Non-boiler large Square-back ideal for log burning – see opposite for dimensions
- Curved & square adapters available for cast Iron Fireplaces
- Non-boiler large Square-back ideal for log burning

- Fuel Options Multi Fuel
- Colour Options Matt, Majolica Brown, Black, Cream, Claret



Cream



STOKER

Inset Non Boiler
6.5KW Stove



Power Output 6.5KW

Efficiency 76%

Top flue outlet only

Primary & Secondary Air intake
including Air-wash System

Radiant & Convection Heat

Curved & square adapters available for
Cast Iron Fireplaces



Majolica Brown

Fuel Options Multi Fuel

Colour Options Matt, Majolica Brown, Black, Cream, Claret

STOKER

Fire-Front

Only suitable for fireplace with existing back boiler

Fast Easy installation

Enhances current heating system

Radiant & Convection Heat

Primary & Secondary Air intake including Air-wash System

Improved efficiency to back boiler 40%
(guaranteed 3.5KW to Room)

Curved & square adapters available for cast Iron Fireplaces

Flue restrictor plate and transition grate supplied

Suits 16" & 18" inch fireplaces, may require adapter for some
18" fireplaces








Heat deflector plate optional extra

Fuel Options Multi Fuel

Colour Options Matt, Majolica Brown, Black, Cream, Claret



*Black
Enamel*



*On Fire-Front for Back Boiler only
*Top Baffle fits 95% of Back Boilers.
For some boilers this baffle should be shortened
*Transition grate integrates current back boiler grate.

QIS

Insert Boiler Stove



Majolica Brown

- Top flue outlet only
- Radiant & Convection Heat
- Primary & Secondary Air intake including Air-wash System
- Curved & square adapters available for cast Iron Fireplaces
- Power Output Boiler 13.5KW (9.8KW to Water, 3.7KW to Room)
- Boiler Version heats 10 standard single radiators and domestic hot water

- Fuel Options** Multi Fuel
- Colour Options** Matt, Majolica Brown, Black, Cream, Claret









Claret

QIS

Insert Non Boiler Insert 10kw

- Power Output Non-Boiler 10KW
- Efficiency 76%
- Top flue outlet
- Primary & Secondary Air intake including Air-wash System
- Radiant & Convection Heat
- Curved & square adapters available for cast Iron Fireplaces
- Non-boiler large Square-back ideal for log burning – see opposite for dimensions
- Curved & square adapters available for cast Iron Fireplaces
- Non-boiler large Square-back ideal for log burning

- Fuel Options** Multi Fuel
- Colour Options** Matt, Majolica Brown, Black, Cream, Claret





Cream

QIS

Insert Non Boiler Stove

Power Output Non-Boiler 6.5KW

Top flue outlet only




Primary & Secondary Air intake including Air-wash System

Radiant & Convection Heat

Curved & square adapters available for cast Iron Fireplaces

Fuel Options Multi Fuel

Colour Options Matt, Majolica Brown, Black, Cream, Claret



QIS

Fire Front

Only suitable for fireplace with existing back boiler

Radiant & Convection Heat

Enhances current heating system

Fast Easy installation

Primary & Secondary Air intake including Air-wash System

Improved efficiency to back boiler 40% (guaranteed 3.5KW to Room)

Curved & square adapters available for cast Iron Fireplaces

Flue restrictor plate and transition grate supplied

Suits 16" & 18" inch fireplaces, may require adapter for some 18" fireplaces




Baffle may need to be trimmed to suit some boilers

Fuel Options Multi Fuel

Colour Options Matt, Majolica Brown, Black, Cream, Claret



Black Enamel



The Mulberry Range at a Glance

MODEL	TYPE	HEAT OUTPUT			BTU	FLUE SIZE	ENAMEL
	BOILER/ NON-BOILER	WATER	ROOM	TOTAL			
Beckett	Boiler	14.7KW	6.3KW	21KW	71,654	153mm T & R	Y
Beckett	Non-Boiler	n/a	19.6KW	19.6KW	66,877	153mm T & R	Y
Yeats	Boiler	7.8KW	5.1KW	12.9KW	44,016	153mm T & R	Y
Yeats	Non-Boiler	n/a	10.6KW	10.6KW	36,168	153mm T & R	Y
Joyce	Boiler	1.5KW	5.7KW	7.2KW	24,567	125mm T & R	Y
Joyce	Non-Boiler	n/a	6.8KW	6.8KW	23,202	125mm T & R	Y
Shaw 4KW	Non-Boiler	n/a	4KW	4KW	13,648	125mm T & R	N
Shaw 4.5KW	Non-Boiler	n/a	4.5KW	4.5KW	15,354	125mm T & R	N
Shaw 5KW	Non-Boiler	n/a	5KW	5KW	17,060	125mm T & R	N
Shaw 8KW	Non-Boiler	n/a	8KW	8KW	27,296	125mm T & R	N
Shaw 10KW	Non-Boiler	n/a	10KW	10KW	34,121	153mm T & R	N
Inset Stoves							
Stoker	Boiler	11.5KW	3.5KW	15KW	51,182	153mm T	Y
Stoker	Non-Boiler Taper back	n/a	6.5KW	6.5KW	22,178	153mm T	Y
Stoker	Non-Boiler Square Back	n/a	10KW	10KW	34,121	153mm T	Y
Stoker	Fire-Front for Existing Back Boiler	40% improved efficiency	3.5KW	3.5KW & 40%	N/A	N/A	Y
QIS	Boiler	9.8KW	3.7KW	13.5KW	47,769	153mm T	Y
QIS	Non-Boiler	n/a	6.5KW	6.5KW	22,178	153mm T	Y
QIS	Fire-Front for Existing Back Boiler	40% improved efficiency	3.5KW	3.5KW & 40%	N/A	N/A	Y
Shaw 5KW	Non-Boiler	n/a	5KW	5KW	17,060	125mm T	Y



www.mulberrystoves.com

DEALER INFORMATION

Tel: +353 56 7766123

Quality Irish Stoves Ltd • Arrigle Business Park • Ballyhale • Co. Kilkenny • Ireland
 Tel: +353 56 7766123 Fax: +353 56 7766124 Email: info@mulberrystoves.com